



**B&P MANUFACTURING**

Engineered Delivery Products

Material Handling  
and Delivery Products  
Catalog

**XCELORATOR**



**Liberator**





# B&P MANUFACTURING

Engineered Delivery Products

## OUR HISTORY

---

B&P Manufacturing has been engineering and building the highest quality material handling products since 1943 where we began as Brooks and Perkins. Since then our products and processes have seen dramatic changes in order to keep in step with rapid advances in the industries our products serve.

### PURCHASING

Our streamlined process and inventory levels of both raw materials and completed goods are expertly maintained. Whether you need one handle or 5,000 hand trucks, we respond quickly to your needs.

### ENGINEERING



By continuing to work with those who utilize our products, including drivers all over the country, we are able to engineer our products to be more ergonomically correct, reducing driver fatigue and risk of injury. Our products allow drivers to deliver more product, with increased efficiency. Quite simply, our goal is to solve our customers toughest delivery challenges with the highest quality products made by our dedicated team of men and women here in Northern Michigan.

### SALES

Not sure what product best fits your needs? Do you have a customized concept? Let our experienced Sales Team guide you through the process to not only educate you about our offerings but also assist you in finding the right product for the task at hand.

### CUSTOMER SERVICE

Customer service is a top priority! Our professional and knowledgeable Customer Service team is here to support and assist you with any questions that arise before, during and after you place your order and take delivery. Our goal is to provide you with prompt and effective solutions. Let us know how we can help.





# TABLE OF CONTENTS

---

|  |       |
|--|-------|
| Popular Configurations .....               | 4-5   |
| Build A Liberator Hand Truck.....          | 6-14  |
| Liberator Brake Types .....                | 15    |
| Build A Liberator Convertible.....         | 16-17 |
| Xcelerator .....                           | 18-23 |
| Powder Coat/American Pride .....           | 24    |
| Liberator Snack/Bakery Trucks .....        | 25-26 |
| Liberator Specialty Trucks.....            | 27-29 |
| Build A Crusader Tubular Frame Truck ..... | 30-34 |
| Build A Route Delivery Cart .....          | 35-36 |
| Preconfigured Route Delivery Carts .....   | 37-38 |
| Build A Platform Truck.....                | 39    |
| Dock And Warehouse.....                    | 40    |
| Curb And Defender Walk Ramps .....         | 41-43 |
| Custom Solutions .....                     | 44-46 |
| B&P 2+1 Warranty.....                      | 47    |

# B&P GRAND PROMISE

---

B&P Manufacturing truly cares about our customers, our products, our community, and our employees.


We hold ourselves accountable to a high level of standards in all aspects of our business from start to completion, including after sales service. Our team of professionals in Cadillac, MI is comprised of dedicated experts who bring unique skill sets in their respective fields. At B&P, we take great pride in designing, engineering, and building American made fabricated products of the highest level of quality and in value.

Companywide, we strive to be philanthropists within our local community, a trusted corporate partner, and conduct business with integrity. We believe strongly in moral and ethical best practices and at the end of the day, we are a company that ensures we do the right thing for our customers and our company!

Our Grand Promise is a declaration of assurance that as we grow and evolve, B&P Manufacturing will continue to build upon our strong foundation and relationships with our valued partners and community.

## CERTIFICATIONS/COMPLIANCES/MEMBERSHIPS:

*Helping you achieve your supplier diversity goals with the best quality standards.*



# POPULAR CONFIGURATIONS

The Liberator sets the standard for Modular Aluminum Hand Trucks in performance, reliability, and reduced operation costs. Choose from the models shown or customize your own from components on pages 6-15.

## STRAIGHT HAND TRUCKS

**A11-B1-C6-D5-E1L-E60**



**A8-B1-C6-D6SS**



**A5-B1-C8-D6**



## BRAKE HAND TRUCKS

**A11-B1-C6-D6SS-E1E-E60-BTC**



**A42-B3-C8-D5-E1EB-E46E-E47E-BDC**



**A5-B2-C6-D5-E1EB-E46E-E47E-BDC**



## CURVED HAND TRUCKS

**A5-B5-C2-D6SS-E1E**



**A65-B5MK-C29-D16-E44E-NA**



**A10-B5-C5-D6-E1L-E9**



Our exclusive, no nonsense two-year warranty on all Hand Trucks and full line of interchangeable parts sets another standard in our commitment to provide you with the best Hand Trucks and replacement parts available.

## CONVERTIBLE HAND TRUCKS

A1-B80-CA2-D5



A13-B81-C6-D15



B70-CA1-D5



## STANDARD CAPACITY HAND TRUCKS [S-SERIES]



S-500

S-502

S-503

| Part # | Standard Capacity Hand Trucks | Weight | Capacity |
|--------|-------------------------------|--------|----------|
| S-500  | A1-B10-C12-D16                | 17 lb  | 500 lb   |
| S-502  | A1-B10-C12-D15                | 19 lb  | 500 lb   |
| S-503  | A11-B10-C13-D5                | 25 lb  | 500 lb   |

## FAQ for Liberator Hand Trucks:

**Q** If I don't like a product or it doesn't fit my needs, can I return it?

**A** Yes, normally with a 20% restock fee within 30 days of purchase. Return freight will be the customer's responsibility. Also, if the product is used, damaged or otherwise cannot be resold, we will issue only scrap value for the returned product. Please note, some products are non-returnable. Consult our customer service group for more information.


**Q** Does B&P have all the same hand truck components that competitors have?

**A** B&P offers almost everything our competitors offer and much more. We provide many more options to customize hand trucks specific to how you want them.

**Q** Do B&P Liberator parts work on other brands of hand trucks?

**A** Yes, they do interchange with most other brands of modular aluminum hand trucks.

# BUILD A LIBERATOR HAND TRUCK



## A - HANDLE



| Part # | Standard Loop                               | Overall Height |
|--------|---|----------------|
| A1     | Standard Loop                               | 50"            |
| A13    | Standard Loop w/ Comfort Sleeve             | 50"            |
| A2     | Standard Loop w/ U-Brace                    | 50"            |
| A14    | Standard Loop w/ U-Brace & Comfort Sleeve   | 50"            |
| A37    | Standard Loop, Square Top w/ Comfort Sleeve | 50"            |



| Part # | Flared Double Grips                                   | Overall Height |
|--------|---|----------------|
| A11    | Standard Double Grip w/ U-Brace                       | 48"            |
| A40    | Square Loop w/ Flared Double Grips & Cross Member     | 52"            |
| A41    | Square Loop w/ Flared Double Grips & Cross Member     | 55"            |
| A42    | Square Loop w/ Flared Double Grips & 2 Cross Members  | 62"            |
| A19    | Square Loop w/ Flared Double Grips & No Cross Members | 62"            |



| Part # | Straight Loop, Vertical Grip                          | Overall Height |
|--------|---|----------------|
| A7     | Straight Loop, Vertical Grip                          | 52"            |
| A10    | Straight Loop, Vertical Grip for Curved Frames        | 52"            |
| A8     | Straight Loop, Vertical Grip at 52"                   | 60"            |
| A25    | Straight Loop, Vertical Grip at 52" for Curved Frames | 60"            |
| A51    | Straight Loop, Vertical Grip & 2 Curved Cross Members | 60"            |
| A9     | Straight Loop, Vertical Grip at 52"                   | 68"            |



| Part # | Square Loop with Horizontal Grip   |   | Overall Height |
|--------|--|---|----------------|
| A52    | Square Loop w/ Horizontal Grip, Brace & 2 Cross Members                    | ⚠ | 62"            |
| A67    | Square Loop w/ Horizontal Grip, Brace, 2 Cross Members & Pull Back Loop    | ⚠ | 62"            |
| A67M   | Square Loop w/ Horizontal Grip, Brace, 2 Cross Members & 2 Pull Back Loops | ⚠ | 62"            |



| Part # | Square Loop, Single Pin Grip                                   |     | Overall Height |
|--------|--|-----|----------------|
| A12    | Square Loop, Single Pin Grip                                   | ⚠   | 52"            |
| A3     | Square Loop, Single Pin Grip at 46"                            | ⚠   | 52"            |
| A4     | Square Loop, Single Pin Grip at 46"                            | ⚠   | 55"            |
| A49    | Square Loop w/ Curved Cross Member, Single Pin Grip at 46"     | ⊗ ⚠ | 55"            |
| A5     | Square Loop, Single Pin Grip at 46"                            | ⚠   | 62"            |
| A65    | Square Loop w/ Loop Cross Member, Single Pin Grip at 46"       | ⚠   | 62"            |
| A64    | Square Loop w/ Straight & Loop Cross Member, Single Pin at 46" | ⊗ ⚠ | 62"            |
| A6     | Square Loop, Single Pin Grip at 46"                            | ⚠   | 68"            |



| Part # | Square Loop with Double Vertical Grips                                      |   | Overall Height |
|--------|---|---|----------------|
| A47    | Square Loop w/ Double Vertical Grips & Cross Member                         | ⚠ | 55"            |
| A31S   | Square Loop w/ Double Vertical Grips  | ⚠ | 55"            |
| A56S   | Square Loop w/ Double Vertical Grips  | ⚠ | 62"            |
| A57S   | Square Loop w/ Double Vertical Grips, & 2 Cross Members                     | ⚠ | 62"            |
| A57SM* | Square Loop w/ Double Vertical Grips, 2 Cross Members & Top Pin             | ⚠ | 62"            |
| A69S   | Square Loop w/ Double Vertical Grips, 2 Cross Members & Pull Back Loop      | ⚠ | 62"            |
| A66    | Square Loop w/ Double Vertical Grips, Cross Member & Single Pin Grip at 46" | ⚠ | 62"            |
| A70S   | Square Loop w/ Double Vertical Grips, 3 Cross Members & Pull Back Loop      | ⚠ | 68"            |

\*Height is without pin



| Part # | Flared Double Loop Grips                           |   | Overall Height |
|--------|--|---|----------------|
| A15    | Straight Loop w/ Flared Double Vertical Loop Grips | ⊗ | 55"            |
| A16    | Straight Loop w/ Flared Double Vertical Loop Grips | ⊗ | 60"            |

⊗ Not Compatible w/ Brakes ⚠ Heat Treated

# BUILD A LIBERATOR HAND TRUCK

## B - FRAME



B1 B2 B3 B10

| Part # | Straight Back                                    |
|--------|--|
| B1     | Standard Straight Back, No Strap                 |
| B2     | Straight Back w/ 1 Vertical Strap                |
| B3     | Straight Back w/ 2 Vertical Straps               |
| B10*   | Straight Back, No Logo Channel & No Red Striping |

\* B10 frame has a **500 lb** capacity



B4 B5 B5K B5MK

| Part # | Curved Back                                |
|--------|--|
| B4     | Curved Back w/ 1 Vertical Strap            |
| B5     | Curved Back, No Vertical Strap             |
| B5K    | Curved Back w/ Sliding Keg Hook            |
| B5MK   | Curved Back w/ Adjustable Sliding Keg Hook |



B6 B7 B17 B18

| Part # | Combination Back and Ergo                 |
|--------|---|
| B6     | Combination Back w/ 2 Straight & 1 Curved |
| B7     | Combination Back w/ 1 Straight & 2 Curved |
| B17*   | Straight Back, Ergo                       |
| B18*   | Straight Back, Ergo w/ 1 Vertical Strap   |

\* Ergo Frames add 6  $\frac{5}{16}$ " to overall hand truck height



B1SD B2SD B17SD B18SD

| Part # | Severe Duty   |
|--------|---|
| B1SD   | Severe Duty, Straight Back, No Strap                |
| B2SD   | Severe Duty, Straight Back w/ 1 Vertical Strap      |
| B17SD* | Severe Duty, Straight Back Ergo                     |
| B18SD* | Severe Duty, Straight Back Ergo w/ 1 Vertical Strap |

\* Ergo frames add 6  $\frac{5}{16}$ " to overall hand truck height

Frames are 600 lb. capacity unless otherwise noted.

## C - NOSE PLATE



C1



C20

| Part # | Extruded Recessed Heel                      | Width x Depth |
|--------|---|---------------|
| C1     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C19    | Recessed Heel, Extruded Aluminum            | 14" x 7.5"    |
| C7     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 10.5"   |
| C2     | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C20    | Recessed Heel, Extruded Aluminum            | 18" x 7.5"    |
| C15    | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 10.5"   |



CA1



CA3

| Part # | Cast Recessed Heel             | Width x Depth |
|--------|--------------------------------|---------------|
| CA1*   | Recessed Heel w/ Cutouts, Cast | 14" x 7.5"    |
| CA2*   | Recessed Heel w/ Cutouts, Cast | 18" x 7.5"    |
| CA3*   | Recessed Heel w/ Cutouts, Cast | 14" x 12"     |

\*All cast aluminum nose plates have a 500 lb capacity and 1 year warranty



C16



C13

| Part # | Extruded Front Mount                      | Width x Depth |
|--------|---|---------------|
| C16    | Front Mount, Extruded Aluminum            | 14" x 7.5"    |
| C12    | Front Mount w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C4*    | Front Mount, Extruded Aluminum            | 14" x 9"      |
| C8     | Front Mount, Extruded Aluminum            | 16" x 12"     |
| C17    | Front Mount, Extruded Aluminum            | 18" x 7.5"    |
| C13    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C6*    | Front Mount, Extruded Aluminum            | 18" x 9"      |
| C26    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 9"      |
| C14    | Front Mount, Extruded Aluminum            | 18" x 12"     |
| C10*   | Front Mount, Extruded Aluminum            | 20" x 9"      |
| C9*    | Front Mount, Extruded Aluminum            | 20" x 12"     |

\*Available w/ countersunk nose plate bolts



C26



C9



C3



C5

| Part # | Extruded Rear Mount           | Width x Depth |
|--------|-------------------------------|---------------|
| C3     | Rear Mount, Extruded Aluminum | 14" x 7.5"    |
| C5     | Rear Mount, Extruded Aluminum | 18" x 7.5"    |



C29



C22

| Part # | Steel Recessed or Front Mount | Width x Depth |
|--------|-------------------------------|---------------|
| C29    | Recessed Mount, Steel         | 14" x 7.5"    |
| C28    | Recessed Mount, Steel         | 18" x 7.5"    |
| C21    | Front Mount, Steel            | 14" x 9"      |
| C22    | Front Mount, Steel            | 18" x 9"      |

Nose Plates are 600 lb. capacity unless otherwise noted.

# BUILD A LIBERATOR HAND TRUCK

## D - WHEELS



| Part # | Pneumatic Wheel                                      | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D5     | 4 Ply Pneumatic, 3 pc. Steel Hub, Precision Bearings | 10" x 3.5"       | 4.4 lb |
| D5F    | D5 Foam Filled - Can't Go Flat                       | 10" x 3.5"       | 7.0 lb |
| D5S    | D5 w/ Slime Sealant                                  | 10" x 3.5"       | 5.0 lb |

Capacity: 350 lb per wheel

### Recommended uses:

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces
- ▶ Applications requiring superior shock absorption



| Part # | Pneumatic Wheel               | Diameter x Width | Weight |
|--------|-------------------------------|------------------|--------|
| D5G    | D5 in Gray Color, Non-Marking | 10" x 3.5"       | 4.4 lb |

Capacity: 350 lb per wheel

### Recommended uses:

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces
- ▶ Applications requiring superior shock absorption



| Part # | Carefree® Wheel                 | Diameter x Width | Weight |
|--------|---------------------------------|------------------|--------|
| D6     | No Flat Solid Foam, Non-Marking | 10" x 3"         | 4.2 lb |

Capacity: 350 lb per wheel

### Recommended uses:

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces



| Part # | Pneumatic Wheel            | Diameter x Width | Weight |
|--------|----------------------------|------------------|--------|
| D9     | Pneumatic, 2 pc. Steel Hub | 8" x 2.5"        | 2.9 lb |

Capacity: 300 lb per wheel

### Recommended uses:

- ▶ Smooth/semi smooth, hard surface
- ▶ General purpose



| Part # | Carefree® Wheel       | Diameter x Width | Weight |
|--------|-----------------------|------------------|--------|
| D6SS   | Poly Hub, Non-Marking | 10" x 3"         | 3.1 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces



| Part # | Balloon Cushion Wheel                                | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D15    | Poly Hub, Precision Bearings, Dark Gray, Non-Marking | 10" x 2.125"     | 2.3 lb |
| D16    | Poly Hub, Precision Bearings, Dark Gray, Non-Marking | 8" x 2.125"      | 1.6 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose
- ▶ City deliveries - side walk & concrete
- ▶ Delicate floor, tile & carpet



| Part # | Performance TPR Wheel                        | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D1     | High Performance, in Gray Color, Non-Marking | 8" x 2"          | 2 lb   |

**Capacity:** 500 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose



| Part # | Rubber Wheel Description               | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D12    | Mold on Rubber on Aluminum, Offset Hub | 8" x 1.625"      | 2.1 lb |

**Capacity:** 250 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose

**Safety Note: Never exceed rated hand truck capacity (600 lb, unless otherwise noted).**

# BUILD A LIBERATOR HAND TRUCK

## E - ACCESSORIES



E62S E68SL  
(Shown with A13 handle)

| Part # | Tubular Frame Extension                                | Overall Height |
|--------|--|----------------|
| E62S   | Tubular Frame Extension w/ 2 Straps                    | 62"            |
| E62SL  | Tubular Frame Extension w/ 2 Straps, & 1 Diagonal Loop | 62"            |
| E68S   | Tubular Frame Extension w/ 2 Straps                    | 68"            |
| E68SL  | Tubular Frame Extension w/ 2 Straps, & 1 Diagonal Loop | 68"            |

Fits A1, A2, A11, A13, A14, A37 handles, and some competitors hand trucks



E45 E52 E60 E11  
(Shown with A1 handle)

| Part # | Extruded Frame Extension          | Overall Height |
|--------|-----------------------------------|----------------|
| E45    | U-Brace, Extruded Frame Extension | 45"            |
| E52    | Extruded Frame Extension          | 52"            |
| E55    | Extruded Frame Extension          | 55"            |
| E60    | Extruded Frame Extension          | 60"            |
| E68    | Extruded Frame Extension          | 68"            |
| E11    | Frame Extension Foam Sleeve       | N/A            |

Fits A1, A2, A11, A13, A14, A37 handles, and some competitors hand trucks



| Part # | Keg Hook                             |
|--------|--------------------------------------|
| E9*    | Keg Hook for Sankey Style 1/2 Barrel |

*\*For curved back frames only*



| Part # | Frame Wings                           | Length x Width |
|--------|---------------------------------------|----------------|
| E30    | Standard Frame Wings                  | 34" x 2"       |
| E31    | Standard Frame Wings, Large           | 45" x 2"       |
| E30SD  | Severe Duty Frame Wings               | 34" x 2"       |
| E30ESD | "Ergo" Severe Duty Frame Wings, Large | 40.5" x 2"     |



| Part # | Pull Bar   | Diameter |
|--------|--|----------|
| E29    | Pull Bar w/ Red Plastic Sleeve for E1L, E1E Stair Climbers | .63"     |

Heat Treated



E1E

E1L

| Part # | Extruded Stair Climbers                                     | Angle |
|--------|---|-------|
| E1E    | Extruded Aluminum Ergo Stair Climbers                       | 10°   |
| E1L    | Extruded Aluminum Stair Climbers w/ Replaceable Wear Strips | 18°   |



| Part # | Cast Stair Climbers          |
|--------|------------------------------|
| E1C*   | Cast Aluminum Stair Climbers |

\*1 Year Warranty



| Part # | Appliance Stair Climbers                         |
|--------|--|
| E72    | 30" Skids, Appliance Style w/ Plastic Wear Strip |



| Part # | Aluminum Kick Bar                                      | Diameter |
|--------|--|----------|
| E13    | Aluminum Kick Bar for E1L Stair Climbers w/ 10" Wheels | 1.49"    |



| Part # | Steel Kick Bar                                      | Diameter |
|--------|---|----------|
| E46    | Steel Kick Bar for E1L Stair Climbers w/ 10" Wheels | .63"     |
| E26    | Steel Kick Bar for E1L Stair Climbers w/ 8" Wheels  | .63"     |
| E46E   | Steel Kick Bar for E1E "Ergo" Stair Climbers        | .63"     |



8218-001



8218-002

| Part #   | Accessory Bag            | Length x Width x Depth |
|----------|--------------------------|------------------------|
| 8218-001 | Hand Truck Accessory Bag | 18" x 12" x 2"         |
| 8218-002 | Hand Truck Accessory Bag | 18" x 12" x 3"         |

# BUILD A LIBERATOR HAND TRUCK

## E - ACCESSORIES CONTINUED



| Part # | Pull Back Bar                               |
|--------|---|
| E47    | Pull Back Bar for E1L Stair Climbers        |
| E47E   | Pull Back Bar for E1E "Ergo" Stair Climbers |



| Part # | Wheel Guards                 | Length x Width |
|--------|------------------------------|----------------|
| E8     | Wheel Guards                 | 7.38" x 2.5"   |
| E8L    | Wheel Guards                 | 12" x 4"       |
| E8D    | Wheel Guards for Disc Brakes | 12" x 4.38"    |



| Part # | Ratchet Strap                 | Length x Width |
|--------|-------------------------------|----------------|
| E73    | 9' Retractable Ratchet Strap  | 9' x 2"        |
| E75    | 13' Retractable Ratchet Strap | 13' x 2"       |



| Part # | Fourth Wheel                      |
|--------|-----------------------------------|
| E37L*  | Fourth Wheel Attachment, w/ Latch |

\* Not compatible with stair climbers or convertible hand trucks



E2F

E5F

| Part #       | Folding Noses                            | Capacity |
|--------------|--|----------|
| E2F or E2R   | Full Channel Extruded Folding Nose, 20"  | 300 lb   |
| E3F or E3R   | Full Channel Extruded, Folding Nose, 30" | 300 lb   |
| E4F or E4R   | Tubular Folding Nose, 44"                | 110 lb   |
| E5F or E5R   | Tubular Folding Nose, 36"                | 110 lb   |
| E6F or E6R   | Tubular Folding Nose, 30"                | 110 lb   |
| E10F or E10R | Tubular Folding Nose, 34"                | 110 lb   |

Order "F" for use with front mount nose plates

Order "R" for use with recessed heel or rear mount nose plates



E44E

| Part # | Narrow Aisle Configuration (15.25" Wheel Base) |
|--------|--|
| NA     | Narrow Aisle Brackets                          |
| E44E   | Narrow Aisle Stair Climbers                    |

# LIBERATOR BRAKE TYPES



| Part #     | Tread Brakes                 |
|------------|------------------------------|
| <b>BTC</b> | Brakes, Tread w/ Cable Lever |
| <b>BTT</b> | Brakes, Tread w/ T-Rod       |

Add -P/N from the table above to the end of your custom Liberator part number to add tread brakes to your hand truck.

**Recommended when you need light weight load control.**



| Part #     | Disc Brakes                        |
|------------|------------------------------------|
| <b>BDC</b> | Brakes, Double Disc w/ Cable Lever |
| <b>BDT</b> | Brakes, Double Disc w/ T-Rod       |

Add -P/N from the table above to the end of your custom Liberator part number to add disc brakes to your hand truck.

**Recommended when you need total, safe stopping power.**

Only available w/ D5, D5G, D5S, D5F, D6 and D6SS.



| Part #          | Spare Disc Brake Wheels                | Diameter x Width | Weight |
|-----------------|--|------------------|--------|
| <b>2006-156</b> | D5G, Spare Wheel Assy, 3/4" Disc Brake | 10" x 3.5"       | 4.4 lb |
| <b>2006-157</b> | D5, Spare Wheel Assy, 3/4" Disc Brake  | 10" x 3.5"       | 4.4 lb |
| <b>2006-167</b> | D5F, Spare Wheel Assy, 3/4" Disc Brake | 10" x 3.5"       | 7.0 lb |
| <b>2006-158</b> | D6, Spare Wheel Assy, 3/4" Disc Brake  | 10" x 3"         | 4.2 lb |

**Capacity:** 350 lb per wheel

Lower cost alternative to replacing entire wheel assembly.

## Brake Lever Orientation

Lever styles and orientation depends on the combination of handle and activator mechanism. No matter which you choose from, know you are getting the best in ergonomics!



# BUILD A LIBERATOR CONVERTIBLE

## A-B - HANDLE & FRAME



A1-B81  
A13-B81



A1-B80W  
A13-B80W

| Part #   | Senior Convertible Handle and Frame   | Capacity (Up/ Down) |
|----------|---|---------------------|
| A1-B80   | Standard Loop & Sr. Convertible Frame w/ 3 Cross Members                                    | 500/1000 lb         |
| A13-B80  | Standard Loop w/ Comfort Sleeve & Sr. Convertible Frame w/ 3 Cross Members                  | 500/1000 lb         |
| A1-B81   | Standard Loop & Sr. Convertible Frame w/ 5 Cross Members                                    | 600/1200 lb         |
| A13-B81  | Standard Loop w/ Comfort Sleeve & Sr. Convertible Frame w/ 5 Cross Members                  | 600/1200 lb         |
| A1-B88F  | Standard Loop & Sr. Convertible Frame w/ 5 Cross Members and Center Strap                   | 600/1200 lb         |
| A13-B88F | Standard Loop w/ Comfort Sleeve & Sr. Convertible Frame w/ 5 Cross Members and Center Strap | 600/1200 lb         |



B70



B75

| Part # | Junior Convertible Handle and Frame         | Capacity (Up/ Down) |
|--------|---|---------------------|
| B70    | Junior Convertible Frame w/ 4 Cross Members | 600/1200 lb         |
| B75    | Junior Convertible Frame w/ 2 Cross Members | 500/1000 lb         |

## C - NOSE PLATE



CA2



C6

| Part # | Nose Plates                                 | Width x Depth |
|--------|---|---------------|
| CA1*   | Recessed Heel w/ Cutouts, Cast              | 14" x 7.5"    |
| CA2*   | Recessed Heel w/ Cutouts, Cast              | 18" x 7.5"    |
| C2     | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C6     | Front Mount, Extruded Aluminum              | 18" x 9"      |

\* All cast aluminum nose plates have a 500 lb capacity and 1 year warranty

## D - WHEELS



| Part # | Wheels  | Diameter x Width | Weight |
|--------|---|------------------|--------|
| D5     | 4 Ply Pneumatic, 3 pc. Steel Hub, Precision Bearings            | 10" x 3.5"       | 4.4 lb |
| D6     | No Flat Solid Foam, Hub, Precision Bearings, <b>Non-Marking</b> | 10" x 3"         | 4.2 lb |
| D6SS   | Poly Hub, Precision Bearings, <b>Non-Marking</b>                | 10" x 3"         | 3.1 lb |
| D15    | Poly Hub, Precision Bearings, Dark Gray                         | 10" x 2.125"     | 2.3 lb |

## E - ACCESSORIES



E2F



E5F

| Part #     | Folding Noses                            | Capacity |
|------------|--|----------|
| E2F or E2R | Full Channel Extruded Folding Nose, 20"  | 300 lb   |
| E3F or E3R | Full Channel Extruded, Folding Nose, 30" | 300 lb   |
| E5F or E5R | Tubular Folding Nose, 36"                | 110 lb   |
| E6F or E6R | Tubular Folding Nose, 30"                | 110 lb   |

Order "F" for use with front mount nose plates.  
Order "R" for use with recessed heel or rear mount nose plates.



E32



E32J

| Part # | Wings  |
|--------|--|
| E32    | Frame Wings, Senior Only, 44.25" x 2.5", 17" Overall Width |
| E32J   | Frame Wings, Junior Only, 31.75" x 2", 16" Overall Width   |



E87



E23L



E25LP

| Part # | Senior Decks                            |
|--------|---|
| E23L   | Solid Deck, 12", Senior, Snap On        |
| E25L   | Solid Deck, 12", Senior, Permanent      |
| E50    | Solid Deck, 18", Senior, Snap On        |
| E49    | Solid Deck, 18", Senior, Permanent      |
| E25LP  | Perforated Deck, 12", Senior, Permanent |
| E49P   | Perforated Deck, 18", Senior, Permanent |
| E87    | Senior Convertible Pan Kit              |

| Part # | Junior Decks                            |
|--------|---|
| E22L   | Solid Deck, 12", Junior, Snap On        |
| E24L   | Solid Deck, 12", Junior, Permanent      |
| E50J   | Solid Deck, 18", Junior, Snap On        |
| E24LP  | Perforated Deck, 12", Junior, Permanent |



SJR-2



SSR-2



SSR-5

| Part # | Standard Capacity Convertible Hand Trucks | Weight | Capacity*       |
|--------|---|--------|-----------------|
| SSR    | A1-B80-C17-D5                             | 46 lb  | 500 lb/1,000 lb |
| SSR-2  | A1-B80-CA2-D5                             | 46 lb  | 500 lb/1,000 lb |
| SSR-3  | A1-B80-CA2-D6SS                           | 44 lb  | 500 lb/1,000 lb |
| SSR-4  | A1-B80-C6-D5                              | 46 lb  | 500 lb/1,000 lb |
| SSR-5  | A1-B80-C6-D6SS                            | 46 lb  | 500 lb/1,000 lb |
| SJR    | B75-C17-D5                                | 42 lb  | 500 lb/1,000 lb |
| SJR-2  | B75-CA2-D5                                | 42 lb  | 500 lb/1,000 lb |
| SJR-3  | B75-CA2-D6SS                              | 42 lb  | 500 lb/1,000 lb |

\* 500 lb Capacity in upright position. 1,000 lb Capacity in down position.

**NEW!**

# XCELORATOR

Putting safety at the forefront, your drivers can concentrate on maximum output, with less effort. The NEW XCELORATOR hand truck seamlessly transitions from manual or physical push/pull actions to powered with ease.

Drivers can simply go from powered to unpowered with the simple use of a throttle.

## KEY FEATURES & BENEFITS:

- ▶ Use with heavy loads on inclines like loading dock ramps, sidewalk aprons, curbs, and to reduce fatigue on long runs.
- ▶ Customizable powered hand truck options allow for various height drivers and different types of uses.
- ▶ The battery is easily interchangeable and can be charged in the cab or at the warehouse.
- ▶ The truck is light in weight and has a very low center of gravity centered around the wheel axle.
- ▶ Very low rolling resistance even with a dead battery, or without a battery entirely, hand truck is completely operable.
- ▶ Power driven assist wheels will not interfere with driver's legs or feet.
- ▶ Many modular B&P parts and components can be used to build to suit.
- ▶ Motor kit adds minimal weight (less than 17 lb. to its standard counterpart).




A11X-B1X-C6-D6SS-PWR

A9X-B1X-C6-D6SS-BTT-PWR

**When ordering Xcelerator, use PWR for Standard model or BTT-PWR for Tread Brake Truck model.**

***Power assist, for a little or a lot of extra help... only when you need it!***



## A - HANDLE



| Part # | Standard Loop (Standard or BTT) | Overall Height |
|--------|---------------------------------|----------------|
| A37X   | Squared Loop, w/ Throttle Guard | 50"            |



| Part # | Flared Double Grips (Standard or BTT)                    | Overall Height |
|--------|--|----------------|
| A11X   | Flared Double Grip w/ U-Brace, Grip Height 48"           | 48"            |
| A40X   | Squared Loop, Flared Double Grips at 48", 1 Crossmember  | 52"            |
| A42X   | Squared Loop, Flared Double Grips at 48", 2 Crossmembers | 62"            |



| Part # | Straight Loop, Vertical Grip (Standard Only)        | Overall Height |
|--------|---|----------------|
| A7X    | Straight Loop, Vertical Grip at 52"                 | 52"            |
| A10X   | Straight Loop, Vertical Grip at 52" for B4/B5 Frame | 52"            |
| A8X    | Straight Loop, Vertical Grip at 52"                 | 60"            |
| A25X   | Straight Loop, Vertical Grip at 52" for B4/B5 Frame | 60"            |
| A9X    | Straight Loop, Vertical Grip at 52"                 | 68"            |

| Part # | Straight Loop, Vertical Grip (BTT Only)                     | Overall Height |
|--------|---|----------------|
| A7XT   | Straight Loop, Vertical Grip at 52" w/ Brake Handle Bracket | 52"            |
| A8XT   | Straight Loop, Vertical Grip at 52" w/ Brake Handle Bracket | 60"            |
| A9XT   | Straight Loop, Vertical Grip at 52" w/ Brake Handle Bracket | 68"            |



| Part # | Square Loop, Single Pin Grip (Standard or BTT) | Overall Height |
|--------|--|----------------|
| A12X   | Squared Loop, Single Pin Grip at 52"           | 52"            |
| A3X    | Squared Loop, Single Pin Grip at 46"           | 52"            |
| A4X    | Squared Loop, Single Pin Grip at 46"           | 55"            |
| A5X    | Squared Loop, Single Pin Grip at 46"           | 62"            |
| A6X    | Squared Loop, Single Pin Grip at 46"           | 68"            |

Heat Treated    BTT = Tread Brake Truck

## B - FRAME



B1X      B2X      B3X      B10X

| Part # | Straight Back (Standard or BTT)                  |   |
|--------|--|---|
| B1X    | Standard Straight Back, No Strap                 | P |
| B2X    | Straight Back w/ 1 Vertical Strap                | P |
| B3X    | Straight Back w/ 2 Vertical Straps               | P |
| B10X*  | Straight Back, No Logo Channel & No Red Striping | P |

\*B10X frame has a **500 lb** capacity



B4      B5      B5K      B5MK

| Part # | Curved Back (Standard or BTT)   |  |
|--------|---------------------------------|--|
| B4     | Curved Back w/ 1 Vertical Strap |  |
| B5     | Curved Back, No Vertical Strap  |  |
| Part # | Curved Back (Standard Only)     |  |
| B5K    | Curved Back w/ Sliding Keg Hook |  |
| B5MK   | Curved Back w/ Mini Keg Hook    |  |



B6X      B7X      B17X      B18X

| Part # | Combination Back and Ergo (Standard Only)        |   |
|--------|--|---|
| B6X    | Top 2 Crossbars Straight, Bottom Crossbar Curved |   |
| B7X    | Top Crossbar Straight, 2 Bottom Crossbars Curved |   |
| B17X*  | Straight Back, Tall Ergo                         | P |
| B18X*  | Straight Back, Tall Ergo w/ 1 Vertical Strap     | P |

\*Ergo Frames add 6 5/16" to overall hand truck height

| Part # | Combination Back and Ergo (BTT Only)             |  |
|--------|--|--|
| B6XD   | Top 2 Crossbars Straight, Bottom Crossbar Curved |  |
| B7XD   | Top Crossbar Straight, 2 Bottom Crossbars Curved |  |

Frames are 600 lb. capacity unless otherwise noted. BTT = Tread Brake Truck

Powder Coat Available

## C - NOSE PLATE



C1



C20

| Part # | Extruded Recessed Heel (Standard or BTT)    | Width x Depth |
|--------|---|---------------|
| C1     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C19    | Recessed Heel, Extruded Aluminum            | 14" x 7.5"    |
| C7     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 10.5"   |
| C2     | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C20    | Recessed Heel, Extruded Aluminum            | 18" x 7.5"    |
| C15    | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 10.5"   |



CA1



CA3

| Part # | Cast Recessed Heel (Standard or BTT) | Width x Depth |
|--------|--------------------------------------|---------------|
| CA1*   | Recessed Heel w/ Cutouts, Cast       | 14" x 7.5"    |
| CA2*   | Recessed Heel w/ Cutouts, Cast       | 18" x 7.5"    |
| CA3*   | Recessed Heel w/ Cutouts, Cast       | 14" x 12"     |

\* All cast aluminum nose plates have a 500 lb capacity and 1 year warranty



C16



C13



C26



C9

| Part # | Extruded Front Mount (Standard or BTT)    | Width x Depth |
|--------|---|---------------|
| C16    | Front Mount, Extruded Aluminum            | 14" x 7.5"    |
| C12    | Front Mount w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C4     | Front Mount, Extruded Aluminum            | 14" x 9"      |
| C8     | Front Mount, Extruded Aluminum            | 16" x 12"     |
| C17    | Front Mount, Extruded Aluminum            | 18" x 7.5"    |
| C13    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C6     | Front Mount, Extruded Aluminum            | 18" x 9"      |
| C6C    | C6 w/ Countersunk Holes                   | 18" x 9"      |
| C26    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 9"      |
| C14    | Front Mount, Extruded Aluminum            | 18" x 12"     |
| C10    | Front Mount, Extruded Aluminum            | 20" x 9"      |
| C10C   | C10 w/ Countersunk Holes                  | 20" x 9"      |
| C9     | Front Mount, Extruded Aluminum            | 20" x 12"     |
| C9C    | C9 w/ Countersunk Holes                   | 14" x 7.5"    |
| C32    | Solid Front Mount, Extruded Aluminum      | 32" x 12"     |

Nose Plates are 600 lb. capacity unless otherwise noted. BTT = Tread Brake Truck

# XCELORATOR

## C - NOSE PLATE CONTINUED



C37C



C37CC

| Part #       | Extruded Front Mount (Standard or BTT)     | Width x Depth |
|--------------|--|---------------|
| <b>C37</b>   | Solid Front Mount, Extruded Aluminum       | 14" x 5.5"    |
| <b>C37C</b>  | C37 w/ Countersunk Holes                   | 14" x 5.5"    |
| <b>C37CC</b> | C37 w/ Countersunk Holes and Carpeted Back | 14" x 5.5"    |
| <b>C38</b>   | Solid Front Mount, Extruded Aluminum       | 16" x 5.5"    |
| <b>C38C</b>  | C38 w/ Countersunk Holes                   | 16" x 5.5"    |
| <b>C38CC</b> | C38 w/ Countersunk Holes and Carpeted Back | 16" x 5.5"    |
| <b>C39</b>   | Solid Front Mount, Extruded Aluminum       | 18" x 5.5"    |
| <b>C39C</b>  | C39 with Countersunk Holes                 | 18" x 5.5"    |
| <b>C39CC</b> | C39 w/ Countersunk Holes and Carpeted Back | 18" x 5.5"    |
| <b>C41</b>   | Solid Front Mount, Extruded Aluminum       | 20" x 5.5"    |
| <b>C41C</b>  | Solid Front Mount, Extruded Aluminum       | 20" x 5.5"    |
| <b>C41CC</b> | C41 w/ Countersunk Holes                   | 20" x 5.5"    |
| <b>C45</b>   | Solid Front Mount, Extruded Aluminum       | 14" x 12"     |



C29



C22

| Part #     | Steel Recessed or Front Mount (Standard or BTT) | Width x Depth |
|------------|---|---------------|
| <b>C29</b> | Recessed Mount, Steel                           | 14" x 7.5"    |
| <b>C28</b> | Recessed Mount, Steel                           | 18" x 7.5"    |
| <b>C21</b> | Front Mount, Steel                              | 14" x 9"      |
| <b>C22</b> | Front Mount, Steel                              | 18" x 9"      |

## D - WHEELS



D5



D5G



D6SS

| Part #      | Wheels (Standard or BTT)                                    | Diameter x Width | Weight |
|-------------|---|------------------|--------|
| <b>D5</b>   | 4 Ply Pneumatic, 3 pc. Steel Hub, Precision Bearings        | 10" x 3.5"       | 4.4 lb |
| <b>D5G</b>  | D5 in Gray Color, <b>Non-Marking</b>                        | 10" x 3.5"       | 4.4 lb |
| <b>D6SS</b> | Carefree®, Poly Hub, Precision Bearings, <b>Non-Marking</b> | 10" x 3"         | 3.1 lb |

Nose Plates are 600 lb. capacity unless otherwise noted. BTT = Tread Brake Truck

## E - ACCESSORIES



| Part # | Extruded Frame Extension (Standard or BTT)          | Overall Height |
|--------|---|----------------|
| E45    | Fixed Wings w/ Cutout for use w/ for Flared Handles | 45"            |
| E52    | Extruded Frame Extension                            | 52"            |
| E55    | Extruded Frame Extension                            | 55"            |
| E60    | Extruded Frame Extension                            | 60"            |
| E68    | Extruded Frame Extension                            | 68"            |
| E11    | Frame Extension Foam Sleeve                         | N/A            |

Fits A11X, A37X handles, and some competitors hand trucks



| Part # | Keg Hook (Standard Only)             |
|--------|--------------------------------------|
| E9*    | Keg Hook for Sankey Style 1/2 Barrel |

\*For curved back frames only



| Part # | Frame Wings (Standard or BTT)                       | Length x Width |
|--------|---|----------------|
| E30    | Standard Frame Wings                                | 34" x 2"       |
| E30E   | Fixed Wings, for B17/B18 "Ergo" Frame               | 40.3" x 2"     |
| E31    | Fixed Wings for Standard Frame                      | 44.5" x 2"     |
| E31F   | Fixed Wings w/ Cutout for use w/ for Flared Handles | 45" x 2"       |
| E74    | Fixed Wings, Standard Frame                         | 33.5" x 4"     |



| Part # | Ratchet Strap (Standard or BTT) | Length x Width |
|--------|---------------------------------|----------------|
| E73    | 9' Retractable Ratchet Strap    | 9' x 2"        |



| Part #       | Folding Noses (Standard or BTT)          | Capacity |
|--------------|--|----------|
| E2F or E2R   | Full Channel Extruded Folding Nose, 20"  | 300 lb   |
| E3F or E3R   | Full Channel Extruded, Folding Nose, 30" | 300 lb   |
| E4F or E4R   | Tubular Folding Nose, 44"                | 110 lb   |
| E5F or E5R   | Tubular Folding Nose, 36"                | 110 lb   |
| E6F or E6R   | Tubular Folding Nose, 30"                | 110 lb   |
| E10F or E10R | Tubular Folding Nose, 34"                | 110 lb   |
| E88F         | Tubular Folding Nose, Front Mount, 14"   | 110 lb   |

Order "F" for use with front mount nose plates  
Order "R" for use with recessed heel or rear mount nose plates

| Part # | Miscellaneous (Standard or BTT) |
|--------|---------------------------------|
| E16    | Garment Hook                    |
| CB     | Carpeted Back                   |

BTT = Tread Brake Truck

# POWDER COAT/AMERICAN PRIDE

## Add a splash of color...


Combine your company decal with a high quality powder coated frame!

B&P Powder Coating allows you to customize your hand truck to help deter theft, build brand recognition, and increase visibility. Choose from 12 colors to customize your frame, side channels, and stair climbers.

Customize your hand truck frames with a 2"x10" decal that has your company logo and contact information for a small fee.



### Powder Coat Color Options:



Show your pride in buying American Made Products by sporting your red, white and blue hand truck!



Choose from a large selection of standard Liberator components and accessories to customize your own "American Pride" hand truck.

NOTE: Must have red or blue frame and opposing color stair climbers. Automatically includes the "American Pride" decal. Simply add -AP to the end of your model number.

# LIBERATOR SNACK/BAKERY TRUCKS



HTA-16

| Part #                  | Snack Delivery Trucks                                      |
|-------------------------|--|
| HTA-16                  | Snack Food Delivery Hand Truck as Shown w/ 8" Wheels (D16) |
| HTA-15                  | Snack Food Delivery Hand Truck w/ 10" Wheels (D5)          |
| Specifications          |  |
| Overall Height          | 68" - 73"  |
| Overall Width           | 18"  |
| Folding Nose Length     | 34" - 36"  |
| Weight                  | 28 - 35 lb   |
| Capacity (Folding Nose) | 80 lb  |
| Capacity                | 600 lb   |



HTA-14  
Upright Position



HTA-14  
Lay Down Position

| Part #                         | Folding Snack Delivery Trucks   |
|--------------------------------|---|
| HTA-14                         | Folding Snack Hand Truck w/ 14" x 10 1/2", Rear Mount, Extruded Aluminum (C31) Nose Plate               |
| HTA-10                         | Folding Snack Hand Truck w/ 14" x 7 1/2", Recessed Heel, Cast Aluminum (CA1 500 lb Capacity) Nose Plate |
| Specifications                 |   |
| Overall Height                 | 68" - 73"   |
| Overall Width                  | 18"   |
| Folding Nose Length            | 34" - 36"   |
| Folding Snack HT Bed Length    | 66"   |
| Folding Snack HT Handle Height | 46"   |
| Folding Snack HT Nose Height   | 46"   |
| Weight                         | 28 - 35 lb  |
| Capacity (Folding Nose)        | 80 lb   |
| Capacity (2 Wheel)             | 600 lb  |
| Capacity (4 Wheel)             | 1200 lb   |



| Part # | Sliding Extension Hand Truck  |
|--------|---|
| HTA-27 | Liberator Hand Truck, Sliding Extension 7' To 10' (500 lb Capacity) |

- ▶ Telescopes from 91"-118" (3 adjustable heights secured by lock pins)
- ▶ Light weight aluminum handle with comfort grips and smooth nylon slides
- ▶ Extruded aluminum 16" x 12" nose plate (C8)
- ▶ No flat wheels (D6SS)
- ▶ Aluminum skids w/ nylon wear strips allow truck to easily slide out from the delivery vehicle

# LIBERATOR SNACK/BAKERY TRUCKS



HTA-24



Optional  
extended length  
single pin handle

| Part #                                 | Extension Hand Truck                |
|--|-------------------------------------|
| HTA-24                                 | Bakery Hand Truck w/ Handle Options |
| <b>Specifications</b>                  |                                     |
| Weight                                 | 34 lb (w/ 2 handles)                |
| Overall Height                         | 84"                                 |
| Capacity                               | 600 lb                              |
| Width                                  | 18" (at wheel)                      |
| Nose Plate                             | 18 1/4" x 12"                       |
| <b>Available Options</b>               |                                     |
| A7 - Extended Length Single Pin Handle |                                     |
| 2nd B80 Handle                         |                                     |

- ▶ Shipped knocked down or boxed, unassembled



Shown w/ optional  
stair climbers



Nose plate shown  
in upright position

| Part #                              | Ice Cream Cart                                  |
|-------------------------------------|---|
| IC-1                                | Ice Cream Truck w/ D16 Wheels, 18" Slotted Nose |
| <b>Specifications</b>               |   |
| Overall Height                      | 46"   |
| Overall Width (Pneumatic)           | 24"   |
| Usable Depth (Bottom)               | 18"   |
| Overall Depth (Open)                | 26"   |
| Overall Depth (Closed)              | 10"   |
| <b>Available Nose Plate Options</b> |   |
| 18" - Slotted Nose (Standard)       | 24S - 24" Solid Nose                            |
| 18S - 18" Solid Nose                | 24SL - 24" Slotted Nose                         |
| <b>Available Wheel Options</b>      |   |
| D16 - 8" Balloon Cushion (Std)      | D9 - 8" Pneumatic                               |
| D1 - 8" TPR, Dark Gray Non-Marking  | D12 - 8" Mold-On Rubber, Aluminum Core          |
| <b>Additional Option</b>            |   |
| E1L - Stair Climbers                |   |

- ▶ Riveted construction for durability
- ▶ Aircraft grade cables support nose. Vinyl coated to resist corrosion.
- ▶ Engineered housing supports axle and allows for use of stairclimbers

# LIBERATOR SPECIALTY TRUCKS



|                          |   |                 |                                     |
|--------------------------|---|-----------------|-------------------------------------|
| <b>Part #</b>            | <b>Liberator 700: with the DNA of the Liberator, but the strength of a beast!</b>   |                 | <b>Liberator</b> 700<br>The "BEAST" |
| <b>HTA-700</b>           | Disc Brake Hand Truck w/ Stair Climbers (E1EB), Pull Bar (E29), Severe Duty Wings (E30SD), and Kick Back Bar (E46E), <b>700 lb Capacity</b> |                 |                                     |
| <b>Available Options</b> |   |                 |                                     |
| <b>E8L</b>               | 12" Long Heavy Duty Wheel Guards  | <b>8218-001</b> | Accessory Bag (12"W x 18"H x 2"D)   |
| <b>E73</b>               | Ratchet Strap Attachmen   | <b>8218-002</b> | Accessory Bag (12"W x 18"H x 3"D)   |

**700 lb Capacity!**

**NEW!**



A137-B118-C106-D5-E1E



A156-B118-C141-D6SS-E137L-E175



A156-B118-C141-D6SS-E137L-E175-E198C



A140-B118-C109-D6SS-E72-E199-E175

|                          |   |              |  |
|--------------------------|---|--------------|--|
| <b>Part #</b>            | <b>Liberator XT</b>   |              | <b>Liberator</b> XT                            |
| <b>HTX-1</b>             | Extra Wide Line of Liberator Hand Trucks (19" Frame Width)    |              |  |
| <b>Available Options</b> |   |              |  |
| <b>A119</b>              | Handle, 68" Squared Loop w/ Angled Flared Double Grips        | <b>D5S</b>   | See Page 8 & 9 For Wheel Spec. Info            |
| <b>A137</b>              | Handle, Standard Squared Off Loop 55"                         | <b>D6</b>    | See Page 8 & 9 For Wheel Spec. Info            |
| <b>A140</b>              | Handle, 58" Squared Loop w/ Angled Flared Double Grips        | <b>D6SS</b>  | See Page 8 & 9 For Wheel Spec. Info            |
| <b>A147</b>              | Handle, 58" Sq. Loop w/ Vertical Loop Grips, One Crossmember  | <b>D15</b>   | See Page 8 & 9 For Wheel Spec. Info            |
| <b>A156</b>              | Handle, 68" Sq. Loop w/ Vertical Loop Grips, Two Crossmembers | <b>E1L</b>   | Stair Climber, Extruded Aluminum               |
| <b>A188</b>              | Handle, 68" Sq. Loop w/ Vertical Loop Grips & Pull Back Loop  | <b>E1E</b>   | Ergo Stair Climber, Extruded Aluminum          |
| <b>B118</b>              | Frame, LIBERATOR XT, Straight Back, Vertical Strap            | <b>E1C</b>   | Stair Climber, Cast                            |
| <b>C106</b>              | Nose Plate, Extruded 28" x 9" Solid Front Mount               | <b>E72</b>   | Skids - Appliance Style w/ Plastic Wear Strips |
| <b>C109</b>              | Nose Plate, Extruded 28" x 12" Solid Front Mount              | <b>E173</b>  | Retractable Strap Kit                          |
| <b>C141</b>              | Nose Plate, Extruded 28" x 5.5" Solid Front Mount             | <b>E175</b>  | Retractable Strap w/ 4 ft. Extension           |
| <b>D2</b>                | See Page 8 & 9 For Wheel Spec. Info                           | <b>E137L</b> | Fourth Wheel Attachment w/ Latch               |
| <b>D5</b>                | See Page 8 & 9 For Wheel Spec. Info                           | <b>E198</b>  | Snap-On Deck, 19.25" x 37.75"                  |
| <b>D5F</b>               | See Page 8 & 9 For Wheel Spec. Info                           | <b>E198C</b> | Snap-On Deck, 19.25" x 37.75" Carpeted         |
| <b>D5G</b>               | See Page 8 & 9 For Wheel Spec. Info                           | <b>E199</b>  | Wings, 41" x 4-3/8" Wide                       |



A137



A140



A119



A147



A156



A188

Heat Treated

# LIBERATOR SPECIALTY TRUCKS



A11-B5MK-C29-D6SS-E1E-E55



A10-B5MK-C29-D16-E44E-NA

| Part #                       | Keg Trucks                            |
|------------------------------|---------------------------------------|
| B5K                          | Sliding Keg Hook Frame. Adjustable    |
| B5MK                         | Sliding Keg Hook Frame. Adjustable    |
| Available Options            |                                       |
| E1E - Ergo Stair Climbers    | E1L - Standard Stair Climbers         |
| NA - 14" Narrow Aisle Design | 2002-E44 - Narrow Aisle Stair Climber |

- ▶ Any of our Liberator hand trucks can become a keg truck. Look to our "Build A Liberator Hand Truck" section for other options.
- ▶ B5K frame hook will securely stack up to two kegs of any size.
- ▶ B5MK frame has adjustable tines on the hook to accept a wide variety of craft kegs (hauls up to 3 kegs).
- ▶ Steel nose plates slide well under alum. kegs. 18" widths allow two 1/6 barrel kegs to fit side by side. A variety of other sizes are available.
- ▶ Also available in tubular.



| Part #                       | Three Way Hand Truck           |
|------------------------------|--------------------------------|
| B60-CA2-D5                   | Three Way Liberator Hand Truck |
| Specifications               |                                |
| Height in 2 Wheel Position   | 52"                            |
| Height in 4 Wheel Position   | 42"                            |
| Deck Size                    | 51" x 12"                      |
| Deck Height                  | 11"                            |
| Capacity in 2 Wheel Position | 600 lb                         |
| Capacity in 4 Wheel Position | 900 lb                         |
| Weight                       | 48 lb                          |

- ▶ Upright, 45° and laydown positions (nose tucks in when folded up).



Shown w/ Optional Wheel Kit and carpeted bottom/top shelf

| Part #                           | Studio Carts                                       |
|----------------------------------|--|
| B89-C2FT-D5-E3RFT                | Senior Convertible Studio Cart w/ 30" Folding Nose |
| B77-C2FT-D5-E3RFT                | Junior Convertible Studio Cart w/ 30" Folding Nose |
| Available Options                |  |
| E24T - 24" Carpeted Top Shelf    | E22L - JR. Snap on Deck                            |
| E24B - 24" Carpeted Bottom Shelf | E24L - JR. Permanent Deck                          |
| E18T - 18" Carpeted Top Shelf    | E23L - SR. Snap-On Deck                            |
| E18B - 18" Carpeted Bottom Shelf | E25L - SR. Permanent Deck                          |
| EWK - 8" Wheel Kit w/ Handle     |  |

- ▶ Available w/ D5, D6, D6SS or D15 wheels.
- ▶ Standard cart is a Sr. or Jr. convertible w/ swing arm, casters and 30" folding nose.
- ▶ 18" x 7-1/2" extruded aluminum C2 nose plate.
- ▶ Optional shelves, can mix and match.
- ▶ Shelf capacity 200 lb.
- ▶ Optional heavy duty 8" wheel kit instead of standard 5" casters.



Possible Use Applications:  
Ice Hauler • Automotive  
Food Transport • Industrial

| Part #  | High Capacity Drip Free Convertible  |
|---|--------------------------------------|
| LCHT-ICE  | Senior Convertible w/ Drip Free Tray |
| Specifications  |                                      |
| Total Weight  | 57 lb                                |
| Holds Up To   | (100) 7 lb bags                      |
| Holds Up To   | (40) 20 lb bags                      |
| Capacity in 2 Wheel Position                                      | 500 lb                               |
| Capacity in 4 Wheel Position                                      | 1,000 lb                             |
| Available Option  |                                      |
| 2002-364 - Cam Buckle Strap to Help Secure Loads During Transport |                                      |

- ▶ All of the Liberator Convertible features, customized for ice delivery.
- ▶ Welded corner seams are smooth to help prevent tearing of bags.
- ▶ Aluminum 18" x 49" pan holds up to 2 gallons of water, helping protect customers' floors.
- ▶ Kit available to add ice pan to most existing convertible trucks.
- ▶ Folds up for storage/transportation.

**Developed with a national retailer to safely move appliances from the warehouse to showroom and to customers vehicle for loading.**



APPL-3

APPL-1 w/ Optional A1

| Part #                                      | APPL Series Appliance Trucks  |
|---|---|
| APPL-1                                      | Appliance Truck w/ Double A1 Handles, 4th Wheel Attachment, Kick Bar & D16 Wheels |
| Additional APPL Appliance Truck Models      |   |
| APPL-2 - w/ D15 Wheels                      | APPL-5 - w/ Side Loops, Skids & D6 Wheels   |
| APPL-3 - w/ Side Loops, Skids & D6SS Wheels | APPL-6 - w/ Side Loops, Skids & D15 Wheels  |
| APPL-4 - w/ Side Loops, Skids & D5 Wheels   |   |

- ▶ APPL Series Appliance Trucks feature wings w/ protective rubber strips to help reduce damage to appliances.
- ▶ Countersunk, flush nose plate fasteners.
- ▶ APPL-1 has 4th wheel to take the load off the operator and ratchet strap to secure loads.
- ▶ APPL-2 features 30" skids w/ 10" wheels for outdoor, stair, and curb applications.




HTA-8

| Part # | HTA Series Appliance Trucks  |
|--------|--|
| HTA-6  | 4th Wheel Attachment, Wings & D16 wheels   |
| HTA-8  | 4th Wheel Attachment, 16" Wide Solid Deck w/ Rubber Strips For Protection & D16 Wheels |

# BUILD A CRUSADER TUBULAR FRAME TRUCK

## T - HANDLE & FRAME



T01

T02

T03

| Part # | Straight Back                               |
|--------|---|
| T01*   | Straight Back w/ Double Loop Handle         |
| T02*   | Straight Back w/ Double Handle Flared Grips |
| T03*   | Straight Back w/ Single Pin Handle          |

\* Stair climber available as an option



T89

T95

T98

| Part # | Straight Back with Extensions and Stair Climber Brackets        |
|--------|---|
| T89    | Straight Back, FWD Strap, No Stair Climber Brackets             |
| T95    | Straight Back, Back Strap, Stair Climber Brackets               |
| T98    | Straight Back, Back Strap, Stair Climber Brackets, Narrow Aisle |



T90

T92

T96

| Part # | Straight Back with Stair Climber Brackets and Wings           |
|--------|---|
| T90    | Straight Back, FWD Strap, Short Wings, Stair Climber Brackets |
| T92    | Straight Back, FWD Strap, Wings, Stair Climber Brackets       |
| T96    | Straight Back, Back Strap, Wings, Stair Climber Brackets      |



T04

T05

T06

T97

| Part # | Straight Back  |
|--------|--|
| T04*   | Curved Back w/ Double Loop Handle                            |
| T05*   | Curved Back w/ Double Handle                                 |
| T06*   | Curved Back w/ Single Pin Handle                             |
| T97    | Curved Back, FWD Strap, Stair Climber Brackets, Narrow Aisle |

\* Stair climber available as an option



T07

T08

T09

T93

| Part # | Sliding Keg Hook   |
|--------|--|
| T07*   | Sliding Keg Hook/Curved Back w/ Double Loop Handle                 |
| T08*   | Sliding Keg Hook/Curved Back w/ Double Handle                      |
| T09*   | Sliding Keg Hook/Curved Back w/ Single Pin Handle                  |
| T93    | Sliding Keg Hook/Curved Back, Stair Climber Brackets, Narrow Aisle |

\* Stair climber available as an option

Frames are heat treated for superior strength and durability.

## C - NOSE PLATE



C1



C20

| Part # | Extruded Recessed Heel                      | Width x Depth |
|--------|---|---------------|
| C1     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C19    | Recessed Heel, Extruded Aluminum            | 14" x 7.5"    |
| C7     | Recessed Heel w/ Cutouts, Extruded Aluminum | 14" x 10.5"   |
| C2     | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C20    | Recessed Heel, Extruded Aluminum            | 18" x 7.5"    |
| C15    | Recessed Heel w/ Cutouts, Extruded Aluminum | 18" x 10.5"   |



CA1



CA3

| Part # | Cast Recessed Heel             | Width x Depth |
|--------|--------------------------------|---------------|
| CA1*   | Recessed Heel w/ Cutouts, Cast | 14" x 7.5"    |
| CA2*   | Recessed Heel w/ Cutouts, Cast | 18" x 7.5"    |
| CA3*   | Recessed Heel w/ Cutouts, Cast | 14" x 12"     |

\* All cast aluminum nose plates have a 500 lb capacity and 1 year warranty



C16



C13

| Part # | Extruded Front Mount                      | Width x Depth |
|--------|---|---------------|
| C16    | Front Mount, Extruded Aluminum            | 14" x 7.5"    |
| C12    | Front Mount w/ Cutouts, Extruded Aluminum | 14" x 7.5"    |
| C4     | Front Mount, Extruded Aluminum            | 14" x 9"      |
| C8     | Front Mount, Extruded Aluminum            | 16" x 12"     |
| C17    | Front Mount, Extruded Aluminum            | 18" x 7.5"    |
| C13    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 7.5"    |
| C6     | Front Mount, Extruded Aluminum            | 18" x 9"      |
| C26    | Front Mount w/ Cutouts, Extruded Aluminum | 18" x 9"      |
| C14    | Front Mount, Extruded Aluminum            | 18" x 12"     |
| C10    | Front Mount, Extruded Aluminum            | 20" x 9"      |
| C9     | Front Mount, Extruded Aluminum            | 20" x 12"     |



C26



C9



C3



C5

| Part # | Extruded Rear Mount           | Width x Depth |
|--------|-------------------------------|---------------|
| C3     | Rear Mount, Extruded Aluminum | 14" x 7.5"    |
| C5     | Rear Mount, Extruded Aluminum | 18" x 7.5"    |



C29



C22

| Part # | Steel Recessed or Front Mount | Width x Depth |
|--------|-------------------------------|---------------|
| C29    | Recessed Mount, Steel         | 14" x 7.5"    |
| C28    | Recessed Mount, Steel         | 18" x 7.5"    |
| C21    | Front Mount, Steel            | 14" x 9"      |
| C22    | Front Mount, Steel            | 18" x 9"      |

# BUILD A CRUSADER TUBULAR FRAME TRUCK

## D - WHEELS



| Part # | Pneumatic Wheel                                      | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D5     | 4 Ply Pneumatic, 3 pc. Steel Hub, Precision Bearings | 10" x 3.5"       | 4.4 lb |
| D5F    | D5 Foam Filled - Can't Go Flat                       | 10" x 3.5"       | 7.0 lb |
| D5S    | D5 w/ Slime Sealant                                  | 10" x 3.5"       | 5.0 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces
- ▶ Applications requiring superior shock absorption



| Part # | Pneumatic Wheel                      | Diameter x Width | Weight |
|--------|--------------------------------------|------------------|--------|
| D5G    | D5 in Gray Color, <b>Non-Marking</b> | 10" x 3.5"       | 4.4 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces
- ▶ Applications requiring superior shock absorption



| Part # | Carefree® Wheel                        | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D6     | No Flat Solid Foam, <b>Non-Marking</b> | 10" x 3"         | 4.2 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces



| Part # | Pneumatic Wheel            | Diameter x Width | Weight |
|--------|----------------------------|------------------|--------|
| D9     | Pneumatic, 2 pc. Steel Hub | 8" x 2.5"        | 2.9 lb |

**Capacity:** 300 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surface
- ▶ General purpose



| Part # | Carefree® Wheel       | Diameter x Width | Weight |
|--------|-----------------------|------------------|--------|
| D6SS   | Poly Hub, Non-Marking | 10" x 3"         | 3.1 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Outdoor surfaces such as gravel, grass & sand
- ▶ Inclement conditions such as snow, slush or mud
- ▶ Rough or uneven surfaces



| Part # | Balloon Cushion Wheel                                | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D15    | Poly Hub, Precision Bearings, Dark Gray, Non-Marking | 10" x 2.125"     | 2.3 lb |
| D16    | Poly Hub, Precision Bearings, Dark Gray, Non-Marking | 8" x 2.125"      | 1.6 lb |

**Capacity:** 350 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose
- ▶ City deliveries - side walk & concrete
- ▶ Delicate floor, tile & carpet



| Part # | Performance TPR Wheel                        | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D1     | High Performance, in Gray Color, Non-Marking | 8" x 2"          | 2 lb   |

**Capacity:** 500 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose



| Part # | Rubber Wheel Description               | Diameter x Width | Weight |
|--------|--|------------------|--------|
| D12    | Mold on Rubber on Aluminum, Offset Hub | 8" x 1.625"      | 2.1 lb |

**Capacity:** 250 lb per wheel

**Recommended uses:**

- ▶ Smooth/semi smooth, hard surfaces
- ▶ General purpose

**Safety Note: Never exceed rated hand truck capacity (600 lb, unless otherwise noted).**

# BUILD A CRUSADER TUBULAR FRAME TRUCK

## E - ACCESSORIES



E1E



E1L

| Part # | Extruded Stair Climbers               |
|--------|---------------------------------------|
| E1E    | Extruded Aluminum Ergo Stair Climbers |
| E1L    | Extruded Aluminum Stair Climbers      |



| Part # | Wheel Guards | Length x Width |
|--------|--------------|----------------|
| E8     | Wheel Guards | 7.38" x 2.5"   |
| E8L    | Wheel Guards | 12" x 4"       |



| Part # | Pull Back Bar                               |
|--------|---|
| E47    | Pull Back Bar for E1L Stair Climbers        |
| E47E   | Pull Back Bar for E1E "Ergo" Stair Climbers |



E2F



E5F

| Part #     | Folding Noses                            | Capacity |
|------------|--|----------|
| E2F or E2R | Full Channel Extruded Folding Nose, 20"  | 300 lb   |
| E3F or E3R | Full Channel Extruded, Folding Nose, 30" | 300 lb   |
| E4F or E4R | Tubular Folding Nose, 44"                | 110 lb   |
| E5F or E5R | Tubular Folding Nose, 36"                | 110 lb   |
| E6F or E6R | Tubular Folding Nose, 30"                | 110 lb   |

Order "F" for use with front mount nose plates

Order "R" for use with recessed heel or rear mount nose plates

## FAQ for Crusader Hand Trucks:

**Q** What makes B&P Crusader hand trucks different from other tubular hand trucks?

**A** There are many great features that set our Crusader hand trucks apart from others on the market, but the most notable difference is that our nose plates are replaceable. You no longer have to throw out a \$200+ hand truck due to a dinged up nose plate.


**Q** If I usually build a Liberator hand truck and want to build a configuration as a Crusader hand truck equivalent, which nose mounting kit do I use?

**A** Mounting kits are dependant on the nose plate type and wheel choice. If you are building a Liberator configuration as a Crusader, the nose plate would require the same mounting kit.

**Q** Do the Crusaders use the same parts as the Liberator hand trucks?

**A** Almost all of the nose plates and wheels are interchangeable, along with a few of the accessories. We have a dedicated Crusader mini catalog that shows all of the available options.

# BUILD A ROUTE DELIVERY CART



## 1 - DECK



| Part #   | Deck Size                          | Width x Length |
|----------|------------------------------------|----------------|
| FHE-1854 | Heavy Duty Bulk Delivery Cart Deck | 18" x 54"      |
| FHE-1857 | Heavy Duty Bulk Delivery Cart Deck | 18" x 57"      |
| FHE-1860 | Heavy Duty Bulk Delivery Cart Deck | 18" x 60"      |
| FHE-1861 | Heavy Duty Bulk Delivery Cart Deck | 18" x 61"      |

Powder Coat available with an upcharge.

## 2 - HANDLE



203  
204

206  
207

| Option # | Handle                                     |
|----------|--|
| 203      | 18" x 50" Round Handle                     |
| 204      | 18" x 50" Round Handle w/ Curtain Buttons  |
| 206      | 18" x 50" Square Handle                    |
| 207      | 18" x 50" Square Handle w/ Curtain Buttons |
| NH       | No Handle(s)                               |

Powder Coat available with an upcharge.

## 3 - CASTERS



HD10

| Part # | Caster Configurations                  |                                     |
|--------|--|-------------------------------------|
|        | Center Wheels                          | Castors                             |
| HD1*   | 8" TPR, Round Tread, Poly Core         | 8" Round Tread Swivel Castors       |
| HD4    | 8" TPR, Square Tread, Poly Core Center | 6" Square Tread Swivel Castors      |
| HD8    | 8" TPR, Square Tread, Poly Core        | 6" Square Tread Swivel Castors      |
| HD9    | 8" TPR, Round Tread, Poly Core         | 6" Square Tread Swivel Castors      |
| HD10** | 8" Urethane Square Tread               | 6" Square Tread Swivel Castors      |
| SD7*   | 6" x 2" Square Tread                   | 6" x 2" Square Tread Swivel Castors |

\* Not Available w/ Brakes

\*\* Standard Wheel Configuration

# BUILD A ROUTE DELIVERY CART

## 4 - ACCESSORIES



| Part #   | Accessories   |
|----------|---------------|
| 2025-302 | Carrier Plate |

Bolt on plate allows transporting bulk deliver cart (handles removed) in most standard hand truck carriers



| Part #   | Accessories                                   |
|----------|---|
| 2025-503 | Containment Curtain - Requires Handle Buttons |

- ▶ Helps protect product while delivering in inclement weather
- ▶ Eliminates need for expensive and messy stretch wrap
- ▶ Opens from either side
- ▶ Clips allow for fast adjustment to different load sizes
- ▶ Metal ends attach the curtain quickly and outlasts plastic



| Part # | Brakes              |
|--------|---------------------|
| CB     | Center Brake System |

Add -CB to the end of your part number

- ▶ Foot actuated brake. Levers located on both ends and both sides lock the center wheels for safer loading/unloading
- ▶ Exclusive design places brake rods under the deck allowing carts to be forklifted from the sides



| Part #    | Add-On  |
|-----------|---|
| 2025-163* | 18" Shelf - 200 lb Capacity - Requires 60" Cart |

\*Add -SH to the end of your part number

- ▶ Quick release pins keep shelf safely on the cart. Attached to shelf so they do not get lost

FHE-1860-204-HD10-SH-CB

# PRECONFIGURED ROUTE DELIVERY CARTS



| Part #   | Deck Size | Handle       | Caster Configuration                                  |  |
|----------|-----------|--------------|---|--|
|          |           |              | Center Wheels   | Casters                                      |
| FHE-16   | 16" x 60" | (1) 2025-174 | (2) 8057-047, 6" x 2", Rigid, Polyurethane Caster     | (4) 8057-046, 5" x 2", Swivel, Gray Performa |
| FHE-16CL | 16" x 60" | (1) 2025-174 | (2) 8057-093, 6" x 2" TPU, Rigid, Blue w/ Center Lock | (4) 8057-046, 5" x 2", Swivel, Gray Performa |

**Capacity:** 1,200 lb **Weight:** 64 lb

- ▶ Slightly narrower, 16" width for tight delivery situations
- ▶ Same heavy duty construction
- ▶ Comes standard w/ one handle
- ▶ Optional 2nd handle and carrier plate
- ▶ CL indicates center lock HD dual brake system



Shown w/ Optional Center Brake (FHE-1 only)

| Part #  | Deck Size | Handle       | Caster Configuration                                  |   |
|---------|-----------|--------------|---|---|
|         |           |              | Center Wheels   | Casters                                 |
| FHE-1   | 18" x 60" | (2) 2025-103 | (2) 8057-114, 8" x 2" Urethane, Square Tread          | (4) 8057-038, 6" x 2" TPR, Square Tread |
| FHE-1CL | 18" x 60" | (2) 2025-103 | (2) 8057-089, 8" x 2" TPU, Rigid, Blue w/ Center Lock | (4) 8057-038, 6" x 2" TPR, Square Tread |

**Capacity:** 1,200 lb **Weight:** 95 lb

- ▶ Formed Stringers
- ▶ One piece deck eliminates peeling and warping
- ▶ Full width caster plates won't break off
- ▶ Full perimeter welded handle pockets stay secure
- ▶ Comes standard w/ two handles
- ▶ Several caster/wheel combinations to suit any delivery situation
- ▶ Optional 18" shelves available
- ▶ Optional Center brake w/ lever available on FHE-1
- ▶ CL indicates center lock HD dual brake system




Shown w/ Center Lock HD Dual Brake System (FHE-16CL, FHE-1CL & FHE-8CL)

| Part # | Deck Size | Handle       | Caster Configuration                         |   |
|--------|-----------|--------------|--|---|
|        |           |              | Center Wheels                                | Casters                                 |
| FHE-23 | 18" x 60" | (2) 2025-103 | (2) 8057-114, 8" x 2" Urethane, Square Tread | (4) 8057-038, 6" x 2" TPR, Square Tread |

**Capacity:** 1,200 lb **Weight:** 95 lb

- ▶ Extruded tube stringers
- ▶ Severe duty deck



| Part #  | Deck Size | Handle       | Caster Configuration                         |   |
|---|-----------|--------------|--|---|
|   |           |              | Center Wheels                                | Casters                                 |
| FHE-6   | 18" x 60" | (2) 2025-103 | (2) 8057-114, 8" x 2" Urethane, Square Tread | (4) 8057-038, 6" x 2" TPR, Square Tread |
| Same as FHE-1 w/ wide track configuration for Walkie Rider applications |           |              |  |   |

**Capacity:** 1,200 lb **Weight:** 110 lb

- ▶ Durable steel housings secure the center wheels
- ▶ Powder coated for excellent resistance to corrosion



| Part #  | Deck Size | Handle       | Caster Configuration                                  |   |
|---------|-----------|--------------|---|---|
|         |           |              | Center Wheels   | Casters                                 |
| FHE-8   | 24" x 60" | (2) 2025-154 | (2) 8057-114, 8" x 2" Urethane, Square Tread          | (4) 8057-038, 6" x 2" TPR, Square Tread |
| FHE-8CL | 24" x 60" | (2) 2025-154 | (2) 8057-089, 8" x 2" TPU, Rigid, Blue w/ Center Lock | (4) 8057-038, 6" x 2" TPR, Square Tread |

**Capacity:** 1,200 lb **Weight:** 93 lb

- ▶ Warehouse cart
- ▶ Optional 18" and 24" shelves
- ▶ Optional Center brake w/ lever available on FHE-8
- ▶ CL indicates center lock HD dual brake system

# PRECONFIGURED ROUTE DELIVERY CARTS



| Part # | Deck Size                | Handle       | Caster Configuration                            |  |
|--------|--------------------------|--------------|---|--|
|        |                          |              | Center Wheels                                   | Casters                                    |
| FHE-19 | 18" x 60" w/<br>4° angle | (1) 2025-197 | (2) 8057-114, 8" x 2"<br>Urethane, Square Tread | (4) 8057-038, 6" x 2" TPR,<br>Square Tread |
|        |                          | (1) 2025-198 |   |  |
|        |                          | (1) 2025-199 |   |  |

**Capacity:** 1,200 lb **Weight:** 110 lb

- ▶ Deck angled toward rear helps keep product on the cart
- ▶ Removable back and handles for transportation/storage
- ▶ Clipboard holder on one end with spring clip for loose papers



*Shown w/ 5012-502 Liner Option*

| Part #   | Commercial Ice Cart           | Cage Size (Width x Depth x Height) |
|----------|-------------------------------|------------------------------------|
| 5012-002 | Ice Cart w/ Foot Brake System | 19-3/8" x 18-1/2" x 56"            |
| 5012-003 | Ice Cart w/ Dead Man Brake    | 19-3/8" x 18-1/2" x 56"            |
| 5012-006 | XL Ice Cart w/ Dead Man Brake | 22-3/8" x 21-1/2" x 56"            |

**Available Options:**

**5012-502:** Ice Cart Liner for 002 & 003

**5012-505:** XL Ice Cart Liner for 006

- ▶ Manuevers easily w/ swivel casters in front
- ▶ Flat free tires
- ▶ 5012-002 and 5012-003 can hold up to (22) 20 lb bags of ice
- ▶ 5012-006 can hold up to (25) 20 lb bags or (70) 7 lb bags of ice
- ▶ Tray keeps water off customers floors
- ▶ Optional liner helps keep condensation in the cart; can be silk screened with customer logo



| Part #   | Sprinter Van Carts                      |
|----------|---|
| 5018-004 | FWD Cart, 144SP w/ Collapsible Shelving |
| 5018-005 | AFT Cart, 144SP w/ Collapsible Shelving |

**Make it a System:**

**5018-006:** FWD Left Cart Brace

**5018-009:** AFT Left Cart Brace

**5018-010:** MID Left Cart Brace

**5018-007:** FWD Right Cart Brace

**5018-008:** AFT Right Cart Brace

**5018-011:** MID Right Cart Brace



| Part #   | Milk Cart |
|----------|-----------|
| 5027-001 | Milk Cart |

- ▶ Made from durable, non-rusting aluminum
- ▶ 4 swivel casters allow easy maneuvering
- ▶ Holds 20 standard milk crates



# BUILD A PLATFORM TRUCK

## 1 - DECK



| Part # (Formed Deck) | Part # (Welded Deck) | Width x Length |
|----------------------|----------------------|----------------|
| PTF-2436-150         | PT-2436-150          | 24" x 36"      |
| PTF-2448-150         | PT-2448-150          | 24" x 48"      |
| -                    | PT-2460-150          | 24" x 60"      |
| PTF-3048-150         | PT-3048-150          | 30" x 48"      |
| PTF-3060-150         | PT-3060-150          | 30" x 60"      |
| PTF-3072-150         | PT-3072-150          | 30" x 72"      |
| PTF-3648-150         | PT-3648-150          | 36" x 48"      |
| -                    | PT-3660-150          | 36" x 60"      |
| -                    | PT-3672-150          | 36" x 72"      |

- ▶ Includes Deck and (1) #150 Handle
- ▶ Add "S" at the end of part number to indicate Smooth Plate
- ▶ Add "T" at the end of part number to indicate Diamond Plate
- ▶ Available with Powder Coat

## 2 - HANDLE



| Option # | Handle                      |
|----------|-----------------------------|
| 150      | Handle, No Strap (Standard) |
| 155      | Handle, 1 Strap             |
| 160      | Handle, 2 Straps            |
| 165      | Handle, w/ 18" Panel        |

Available with Powder Coat

## 3 - CASTERS



| Option # | Castors                            | Size    | Capacity |
|----------|------------------------------------|---------|----------|
| 650      | Caster, Poly Core, Round TPR Tread | 6" x 2" | 1,500 lb |
| 850      | Caster, Poly Core, Round TPR Tread | 8" x 2" | 2,000 lb |
| 820      | Caster, Rubber on Iron Core        | 8" x 2" | 2,000 lb |
| NC       | No Castors                         |         |          |

Each truck comes with 2 rigid casters and 2 swivel casters

## 4 - ACCESSORIES




| Option # | Accessories               |
|----------|---------------------------|
| 310*     | Rubber Bumper, Gray       |
| C**      | Carpeted Deck, Gray       |
| 060      | Floor Lock for 6" Casters |
| 080      | Floor Lock for 8" Casters |

\*Welded deck is required for full perimeter rubber bumper and carpet options.


\*\*Full perimeter rubber bumper is required with carpeted deck.

# DOCK AND WAREHOUSE



## APRON HAND TRUCK DOCK BOARDS

| Part #    | Width x Length | Capacity | Leg Length | Max. Height Difference | Weight |
|-----------|----------------|----------|------------|------------------------|--------|
| AHTD-3036 | 30" x 36"      | 800 lb   | 7"         | 5"                     | 27 lb  |
| AHTD-3048 | 30" x 48"      | 800 lb   | 9"         | 7"                     | 35 lb  |



## ALUMINUM DOCK BOARDS

| Part #    | Width x Length | Capacity | Weight |
|-----------|----------------|----------|--------|
| HTDB-2860 | 28" x 60"      | 700 lb   | 35 lb  |
| HTDB-3048 | 30" x 48"      | 800 lb   | 30 lb  |
| HTDB-3260 | 32" x 60"      | 700 lb   | 40 lb  |
| LWB-2448  | 24" x 48"      | 750 lb   | 39 lb  |

## PALLET DOLLIES


| 4,000 lb Capacity<br>6 Roller |        | 6,000 lb Capacity<br>8 Roller |        | 8,000 lb Capacity<br>10 Roller |        | Length    |
|-------------------------------|--------|-------------------------------|--------|--------------------------------|--------|-----------|
| Model #                       | Weight | Model #                       | Weight | Model #                        | Weight |           |
| 2424-6T                       | 34 lb  | -                             | -      | -                              | -      | 24" x 24" |
| 3636-6T                       | 32 lb  | 3636-8T                       | 37 lb  | 3636-10T                       | 40 lb  | 36" x 36" |
| 3642-6T                       | 34 lb  | 3642-8T                       | 40 lb  | 3642-10T                       | 43 lb  | 36" x 42" |
| 3648-6T                       | 36 lb  | 3648-8T                       | 41 lb  | 3648-10T                       | 44 lb  | 36" x 48" |
| 4048-6T                       | 36 lb  | 4048-8T                       | 42 lb  | 4048-10T                       | 45 lb  | 40" x 48" |
| 4242-6T                       | 37 lb  | 4242-8T                       | 43 lb  | 4242-10T                       | 46 lb  | 42" x 42" |
| 4248-6T                       | 37 lb  | 4248-8T                       | 43 lb  | 4248-10T                       | 46 lb  | 42" x 48" |
| 4848-6T                       | 38 lb  | 4848-8T                       | 44 lb  | 4848-10T                       | 47 lb  | 48" x 48" |

Tilt option is standard. If non-tilt is desired, delete "T" and replace with "NT" when ordering

### Available Options:

**H:** Two Handle Loops and Handle

**CB:** Center Support Crossbar



3636-6T-H

Shown with optional Handle

# CURB AND DEFENDER WALK RAMPS



CRP2727-SY

Shown with optional safety yellow powder coat.

## PUNCHED CURB RAMPS WITH HAND SLOTS

| Part #  | Width x Length | Capacity | Weight  |
|---------|----------------|----------|---------|
| CRP2224 | 22" x 24"      | 500 lb   | 6 lb    |
| CRP2618 | 26" x 18"      | 750 lb   | 8 lb    |
| CRP2727 | 27" x 27"      | 750 lb   | 13 lb   |
| CRP2736 | 27" x 36"      | 750 lb   | 17.5 lb |
| CRP3030 | 30" x 30"      | 750 lb   | 15 lb   |
| CRP2745 | 27" x 45"      | 750 lb   | 22 lb   |



CRW2224

## PUNCHED WEDGE CURB RAMPS WITH HAND SLOT

| Part #  | Width x Length | Capacity | Weight |
|---------|----------------|----------|--------|
| CRW2224 | 22" x 24"      | 600 lb   | 6 lb   |
| CRW2724 | 27" x 24"      | 750 lb   | 12 lb  |



CR3030

## DIAMOND PLATE CURB RAMPS WITH HAND SLOT

| Part #   | Width x Length | Capacity | Weight | Stop   |
|----------|----------------|----------|--------|--------|
| CR2618   | 26" x 18"      | 750 lb   | 10 lb  | Legs   |
| CR2727   | 27" x 27"      | 750 lb   | 17 lb  | Legs   |
| CR3030   | 30" x 30"      | 750 lb   | 20 lb  | Legs   |
| CRU2618  | 26" x 18"      | 750 lb   | 9 lb   | Handle |
| CRU2727  | 27" x 27"      | 750 lb   | 16 lb  | Handle |
| CRU2736  | 27" x 36"      | 750 lb   | 20 lb  | Handle |
| CRU3030  | 30" x 30"      | 750 lb   | 19 lb  | Handle |
| LCRU2618 | 26" x 18"      | 500 lb   | 6 lb   | Handle |
| LCRU2727 | 27" x 27"      | 500 lb   | 11 lb  | Handle |

**All of the above curb ramps can be powder coated safety yellow. Just Add -SY to the part number when ordering.**

## SMOOTH NON-SKID CURB RAMPS WITH HAND SLOT



NCRU2727

| Part #   | Width x Length | Capacity | Weight | Stop   |
|----------|----------------|----------|--------|--------|
| NCRU2727 | 27" x 27"      | 750 lb   | 15 lb  | Handle |
| NCR2727  | 27" x 27"      | 750 lb   | 15 lb  | Legs   |
| NCR2736  | 27" x 36"      | 750 lb   | 20 lb  | Legs   |
| NCR2745  | 27" x 45"      | 1,400 lb | 34 lb  | Legs   |
| NCR3030  | 30" x 30"      | 750 lb   | 19 lb  | Legs   |
| NCR3436  | 34" x 36"      | 1,400 lb | 33 lb  | Legs   |

Safety yellow not available on smooth non-skid curb ramps



## PALLET JACK CURB RAMPS


| Part #       | Width x Length | Capacity | Weight |
|--------------|----------------|----------|--------|
| PRP-3606-SP1 | 36" x 72"      | 2,000 lb | 56 lb  |

# CURB AND DEFENDER WALK RAMPS

## DEFENDER

### HIGH CAPACITY DEFENDER WALK RAMPS

| Part #   | Width x Length | Capacity |
|----------|----------------|----------|
| HCR-3006 | 30" x 6'       | 4,000 lb |
| HCR-3012 | 30" x 12'      |          |
| HCR-3014 | 30" x 14'      |          |
| HCR-3016 | 30" x 16'      |          |
| HCR-3506 | 35" x 6'       |          |
| HCR-3512 | 35" x 12'      |          |
| HCR-3514 | 35" x 14'      |          |
| HCR-3516 | 35" x 16'      |          |
| HCR-3906 | 39" x 6'       |          |
| HCR-3908 | 39" x 8'       |          |
| HCR-3912 | 39" x 12'      |          |
| HCR-3914 | 39" x 14'      |          |
| HCR-3916 | 39" x 16'      |          |




### TWIN TOOTH TRACTION WALK RAMPS

| Type | Min | Max | Length | Capacity | 26" Width |        | 28" Width |        | 38" Width |        |
|------|-----|-----|--------|----------|-----------|--------|-----------|--------|-----------|--------|
|      |     |     |        |          | Part #    | Weight | Part #    | Weight | Part #    | Weight |
| A    | 6"  | 21" | 6'     | 2,000 lb | -         | -      | PR-2806-A | 48 lb  | PR-3806-A | 61 lb  |
|      | 6"  | 25" | 7'     | 1,800 lb | -         | -      | PR-2807-A | 56 lb  | PR-3807-A | 70 lb  |
|      | 6"  | 29" | 8'     | 1,700 lb | -         | -      | PR-2808-A | 63 lb  | PR-3808-A | 79 lb  |
|      | 6"  | 33" | 9'     | 1,650 lb | -         | -      | PR-2809-A | 70 lb  | PR-3809-A | 88 lb  |
|      | 6"  | 38" | 10'    | 1,500 lb | -         | -      | PR-2810-A | 77 lb  | PR-3810-A | 97 lb  |
|      | 6"  | 46" | 12'    | 1,400 lb | -         | -      | PR-2812-A | 92 lb  | PR-3812-A | 115 lb |
|      | 6"  | 54" | 14'    | 1,200 lb | -         | -      | PR-2814-A | 107 lb | PR-3814-A | 133 lb |
|      | 6"  | 62" | 16'    | 1,000 lb | -         | -      | PR-2816-A | 121 lb | PR-3816-A | 151 lb |
| F    | 6"  | 23" | 6'     | 2,000 lb | PR-2606-F | 47 lb  | PR-2806-F | 49 lb  | PR-3806-F | 62 lb  |
|      | 6"  | 27" | 7'     | 1,800 lb | PR-2607-F | 54 lb  | PR-2807-F | 57 lb  | PR-3807-F | 71 lb  |
|      | 6"  | 31" | 8'     | 1,700 lb | PR-2608-F | 61 lb  | PR-2808-F | 64 lb  | PR-3808-F | 80 lb  |
|      | 6"  | 35" | 9'     | 1,650 lb | PR-2609-F | 68 lb  | PR-2809-F | 71 lb  | PR-3809-F | 89 lb  |
|      | 6"  | 40" | 10'    | 1,500 lb | PR-2610-F | 75 lb  | PR-2810-F | 79 lb  | PR-3810-F | 98 lb  |
|      | 6"  | 48" | 12'    | 1,400 lb | PR-2612-F | 89 lb  | PR-2812-F | 93 lb  | PR-3812-F | 116 lb |
|      | 6"  | 56" | 14'    | 1,200 lb | PR-2614-F | 103 lb | PR-2814-F | 108 lb | PR-3814-F | 134 lb |
|      | 6"  | 64" | 16'    | 1,000 lb | PR-2616-F | 117 lb | PR-2816-F | 122 lb | PR-3816-F | 152 lb |

Type A: Apron End Type F: Hook End

| Part #       | Food Service Walk Ramps (FSW) | Traction Type | Length | Capacity | Weight |
|--------------|-------------------------------|---------------|--------|----------|--------|
| FSW-2614-AH  | Apron w/ 2 Hooks              | Round Hole    | 14'    | 1,000 lb | 105 lb |
| FSW-2614-AP  | Apron w/ 2 Pins               | Round Hole    | 14'    | 1,000 lb | 105 lb |
| FSW-2614-ACP | Apron w/ Single Pin           | Slotted       | 14'    | 1,300 lb | 105 lb |
| FSW-2616-AH  | Apron w/ 2 Hooks              | Round Hole    | 16'    | 900 lb   | 117 lb |
| FSW-2616-AP  | Apron w/ 2 Pins               | Round Hole    | 16'    | 900 lb   | 117 lb |
| FSW-2616-ACP | Apron w/ Single Pin           | Slotted       | 16'    | 1,000 lb | 117 lb |
| FSW-2614-220 | Hooks on 22" Centers          | Slotted       | 14'    | 1,300 lb | 105 lb |
| FSW-2614-225 | Hooks on 22.5" Centers        | Slotted       | 14'    | 1,300 lb | 105 lb |
| FSW-2616-220 | Hooks on 22" Centers          | Slotted       | 16'    | 1,000 lb | 117 lb |
| FSW-2616-225 | Hooks on 22.5" Centers        | Slotted       | 16'    | 1,000 lb | 117 lb |

| Part #     | Walk Ramp Carriers                   | Weight |
|------------|--------------------------------------|--------|
| C26140-STD | Carrier, Open, 26" Wide for 14' Ramp | 142 lb |
| C26160-STD | Carrier, Open, 26" Wide for 16' Ramp | 158 lb |



### PUNCHED TRACTION WALK RAMPS

| Type | Min | Max | Length | Capacity | 26" Width  |        | 28" Width  |        | 38" Width  |        |
|------|-----|-----|--------|----------|------------|--------|------------|--------|------------|--------|
|      |     |     |        |          | Part #     | Weight | Part #     | Weight | Part #     | Weight |
| A    | 6"  | 21" | 6'     | 2,000 lb | PRP-2606-A | 43 lb  | PRP-2806-A | 44 lb  | PRP-3806-A | 57 lb  |
|      | 6"  | 25" | 7'     | 1,800 lb | PRP-2607-A | 50 lb  | PRP-2807-A | 52 lb  | PRP-3807-A | 66 lb  |
|      | 6"  | 29" | 8'     | 1,700 lb | PRP-2608-A | 56 lb  | PRP-2808-A | 59 lb  | PRP-3808-A | 74 lb  |
|      | 6"  | 33" | 9'     | 1,650 lb | PRP-2609-A | 63 lb  | PRP-2809-A | 66 lb  | PRP-3809-A | 82 lb  |
|      | 6"  | 38" | 10'    | 1,500 lb | PRP-2610-A | 69 lb  | PRP-2810-A | 73 lb  | PRP-3810-A | 91 lb  |
|      | 6"  | 46" | 12'    | 1,400 lb | PRP-2612-A | 83 lb  | PRP-2812-A | 87 lb  | PRP-3812-A | 107 lb |
|      | 6"  | 54" | 14'    | 1,200 lb | PRP-2614-A | 96 lb  | PRP-2814-A | 100 lb | PRP-3814-A | 124 lb |
|      | 6"  | 62" | 16'    | 1,000 lb | PRP-2616-A | 110 lb | PRP-2816-A | 114 lb | PRP-3816-A | 141 lb |
| F    | 6"  | 23" | 6'     | 2,000 lb | PRP-2606-F | 44 lb  | PRP-2806-F | 45 lb  | PRP-3806-F | 58 lb  |
|      | 6"  | 27" | 7'     | 1,800 lb | PRP-2607-F | 51 lb  | PRP-2807-F | 53 lb  | PRP-3807-F | 67 lb  |
|      | 6"  | 31" | 8'     | 1,700 lb | PRP-2608-F | 57 lb  | PRP-2808-F | 60 lb  | PRP-3808-F | 75 lb  |
|      | 6"  | 35" | 9'     | 1,650 lb | PRP-2609-F | 64 lb  | PRP-2809-F | 67 lb  | PRP-3809-F | 83 lb  |
|      | 6"  | 40" | 10'    | 1,500 lb | PRP-2610-F | 70 lb  | PRP-2810-F | 74 lb  | PRP-3810-F | 92 lb  |
|      | 6"  | 48" | 12'    | 1,400 lb | PRP-2612-F | 84 lb  | PRP-2812-F | 88 lb  | PRP-3812-F | 108 lb |
|      | 6"  | 56" | 14'    | 1,200 lb | PRP-2614-F | 97 lb  | PRP-2814-F | 101 lb | PRP-3814-F | 125 lb |
|      | 6"  | 64" | 16'    | 1,000 lb | PRP-2616-F | 111 lb | PRP-2816-F | 115 lb | PRP-3816-F | 142 lb |

Type A: Apron End Type F: Hook End

# CUSTOM SOLUTIONS

*B&P Manufacturing prides itself in creating custom material handling solutions specific to our customers' needs. When you have a material challenge, we can help!*



| Part # | Order Picking Cart  |
|--------|---|
| PT-36  | 24" x 54", red powder coat with neoprene rubber shelf liner |

**Capacity:** 200 lb shelf. 1,200 lb total



| Part # | Platform Truck  |
|--------|---|
| PT-39  | 24" x 48", smooth deck with full perimeter bumper. Dipped blue comfort grip on handle |

- ▶ Aluminum box 16"W x 6"H x 6"D bolted to back of handle, for tools or other items
- ▶ Handle can be bolted in to lock in place



| Part #   | Fulfillment Cart  |
|----------|---|
| 5026-002 | 18"W x 36"L x 60"H, w/ 2 angled upper shelves and lower shelf w/ corrugate dividers |

**Capacity:** 150 lb each upper shelves, 600 lb lower shelf



| Part #   | Warehouse Picking Cart                          |
|----------|---|
| FHE-21   | 24" x 48", includes middle shelf w/ product lip |
| 2025-186 | Optional angled top shelf. 200 lb capacity      |

**Capacity:** 200 lb shelf. 1,000 lb total



| Part #     | Water Bottle Tray - SR Convertible                                   |
|------------|--|
| 2002-E77SR | 12.5" x 55.5" snap on aluminum water bottle tray for SR Convertibles |

Can hold up to (15) 5-gallon water bottles



| Part #   | Forklift Picking Cart                                      |
|----------|--|
| 2809-001 | 48" x 91" deck with tread plate surface, 1,000 lb capacity |

- ▶ Perforated swing out sides for easy unloading from either side
- ▶ Handle mounted to back
- ▶ Forklift pockets
- ▶ Wood chuck block



| Part #   | Tray Cart   |
|----------|---|
| 5026-004 | 20"W x 66"L x 59"H. Holds up to 48 individual trays |

Capacity: 200 lb shelf. 1,200 lb total

## ***B&P Manufacturing Capabilities Include:***

### **ENGINEERING**

Full design services to ensure our product is helping you meet all your safety and efficiency goals.

### **METAL FABRICATION**

With a focus in aluminum and steel, we are well skilled in CNC machining and bending for both sheet metal and extrusion.

### **WELDING**

We have a full staff of certified welders as well as several robotic weld cells to accommodate any order size, 10 - 1,000+.

### **POWDER COATING**

In-house ability to powder coat any of our products, you can increase brand identification with a bit of color.

### **ASSEMBLY**

We maintain an active production facility and produce items that are ready to hit the ground running daily.

# CUSTOM SOLUTIONS

*Are you struggling with product movement that doesn't fit an off the shelf solution? From concept, to prototype, to high-volume full production manufacturing, B&P Manufacturing can work with your company to help create a customized solution!*



5033-001 Bakery Tray



5024-001 Picking Cart




5019-001 Freezer Cart



5026-003 Conveyor Station



5024-004 Picking Cart



5019-002 Freezer Cart



2812-001 Greenhouse Cart



5018-023 Case Simulator



PT-37 Ramp Cart

## THE INDUSTRY'S BEST WARRANTY!

B&P Manufacturing warrants to the original purchaser that the items covered by this agreement shall be free from defects in material and workmanship under normal use and service for a period of two (2) years from the date of shipment to the purchaser. If within such a period any product is proved to be defective, the product shall be repaired or replaced at the manufacturer's discretion.

B&P Manufacturing's obligation is limited to repair and replacement and is conditioned upon receiving a written notice of the alleged defects within the two (2) year warranty period and no more than ten (10) days after its discovery. After written approval by B&P Manufacturing, the product or defective part must be returned to B&P Manufacturing, FOB, its factory.

The term "original purchaser" as used in this warranty shall mean the person or entity to which product was shipped by B&P Manufacturing, its distributor or agent. If purchaser has enrolled in the 2 + 1 warranty program, then the above applies except the written notice needs to be within the three (3) year period and no more than ten (10) days after discovery. The product in question must be enrolled in the 2 + 1 program to qualify for the 1-year extension.

This warranty does not apply to parts subject to wear, parts not manufactured by B&P Manufacturing, or to products or parts repaired or altered by any entity other than B&P Manufacturing. It also does not cover defects or damage due to negligence, accident, abuse, or misuse.

Parts that are not covered under the two (2) year warranty are: tires, inner tubes, wheels (unless expressly specified otherwise in our literature), bearings, casters, drive belts, phenolic rollers, cast nose plates, cast stair climbers, accessory bags and lift chains. The warranty obligations of B&P Manufacturing shall in all respects conform and be limited to the warranty extended to B&P Manufacturing by the supplier.

XCELORATOR assisted hand truck electrical components (containing, but not limited to, electronics enclosure, motors, batteries, throttles) will be covered under the aforementioned warranty for a period of twelve (12) months from the date of shipment to the purchaser. The base hand truck and components thereof are subject to the above paragraphs, allowing coverage of up to a three (3) year period. All other stipulations expressed previously shall still apply.



**BACKED BY THE  
INDUSTRY'S ONLY  
2 + 1 FACTORY  
EXTENDED  
WARRANTY.**

For 2 + 1 factory extended warranty qualifications, visit <https://www.bpmfg.com/what-is-the-warranty-on-your-products/>

*\*2+1 Warranty Program Available on Liberator Hand Trucks Only*



**California Proposition 65 Warning:**

Some products may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Please visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov) for additional information.



# Material Handling and Delivery Products Catalog

Part Number: CATALOG-2025



**B&P MANUFACTURING**  
Engineered Delivery Products